




# Icefree Sapphire Ltd - Door Heater With Separate Threshold Heater




THE THRESHOLD HEATER IS A GRID, PREFORMED TO THE REQUIRED LENGTH AND BREADTH, FROM 3.15mm PVC SHEATHED STAINLESS STEEL WIRE, TERMINATED WITH COLD TAIL CABLES.

TO PERMIT FREE DISSIPATION OF THE HEAT, ALSO TO PREVENT FIRE RISK, THE GRID MUST BE INSTALLED ABOVE ANY INSULATION LAYER, AND SEPARATED FROM IT BY A 50mm SAND-CEMENT BED, ON WHICH THE GRID MAY BE LAID, AND COVERED WITH A SUITABLE SCREED.


THRESHOLD HEATER TO BE INSTALLED BETWEEN 25 & 50mm BELOW F.F.L.

FFL  
THRESHOLD HEATER  
50mm SAND-CEMENT BED  
INSULATION

## VIEW ON A



## EXTERNAL TYPE



## INTERNAL TYPE

Icefree Sapphire Ltd  
Unit 2 Hungerford Trading Estate, Smitham Bridge Rd, Hungerford, Berkshire, RG17 0QU  
Tel: 01488 681212  
Email: sales@icefree-sapphire.com

